

Safety Data Sheet

According to Canadian Hazardous Products Regulations SOR/2022-272, GHS Revision 7 and certain provisions of GHS Revision 8

Initial preparation date: 07.22.2026

Page 1 of 12

Alpha Model Resin V1

SECTION 1: Identification

Product identifier

Product name: Alpha Model Resin V1

Product code: FLAPMD01

Recommended use of the product and restriction on use

Relevant identified uses: For use in Formlabs SLA Printers.

Uses advised against: Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Manufacturer:

United States

Formlabs, Inc
35 Medford St
Suite 201 Somerville, MA 02143
+1 617 855 0762
sds@formlabs.com

Emergency telephone number:

United States

CHEMTREC
1-800-424-9300 (24/7)

SECTION 2: Hazard identification

Classification in accordance with Canadian Hazardous Products Regulations (HPR) SOR/2022-272:

Skin irritation, category 2
Serious eye damage, category 1
Skin sensitization, category 1A
Chronic aquatic hazard, category 2

Label elements

Hazard pictogram(s):



Signal Word: Danger

Hazard statements:

H315 Causes skin irritation
H318 Causes serious eye damage
H317 May cause an allergic skin reaction
H411 Toxic to aquatic life with long lasting effects

Precautionary statements:

P264 Wash skin thoroughly after handling.
P280 Wear protective gloves, protective clothing and eye protection.

Safety Data Sheet

According to Canadian Hazardous Products Regulations SOR/2022-272, GHS Revision 7 and certain provisions of GHS Revision 8

Initial preparation date: 07.22.2026

Page 2 of 12

Alpha Model Resin V1

P273 Avoid release to the environment.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P302+P352 IF ON SKIN: Wash with plenty of water and soap.

P332+P313 If skin irritation occurs: Get medical advice/attention

P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor/...

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container to...

Health Hazards Not Otherwise Classified (HHNOC):

None

Physical Hazards Not Otherwise Classified (PHNOC):

None

SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: Trade Secret	Methacrylate Oligomer(s)	25-45
CAS number: Trade Secret	Methacrylate Monomer(s)	25-45
CAS number: 72869-86-4	Urethane dimethacrylate	10-20
CAS number: Trade Secret	Acrylate Monomer(s)	10-20
CAS number: 162881-26-7	Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	<2.5

Additional Information: None

SECTION 4: First-aid measures

Description of first-aid measures

General notes:

Show this Safety Data Sheet to the doctor in attendance.

After inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. If respiratory symptoms develop or persist, seek medical advice/attention.

After skin contact:

Wash affected area with plenty of soap and water. Remove contaminated clothing and launder before reuse. If skin irritation develops or persists, seek medical advice/attention.

Safety Data Sheet

According to Canadian Hazardous Products Regulations SOR/2022-272, GHS Revision 7 and certain provisions of GHS Revision 8

Initial preparation date: 07.22.2026

Page 3 of 12

Alpha Model Resin V1

After eye contact:

Immediately rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. Seek immediate medical attention, preferably from an ophthalmologist.

Rinse eyes with plenty of water for several minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

After ingestion:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Skin contact may result in redness, pain, burning and inflammation.

Eye contact may result in irritation, redness, pain, inflammation, itching, burning, tearing, corneal damage and loss of vision.

Dermal exposure may cause an allergic skin reaction. Symptoms may include irritation, redness, pain, rash, inflammation, itching, burning and dermatitis.

Delayed symptoms and effects:

Effects are dependent on exposure (dose, concentration, contact time).

Immediate medical attention and special treatment

Specific treatment:

In case of eye contact, seek prompt medical attention while rinsing is continued.

Notes for the doctor:

Treat symptomatically.

SECTION 5: Fire-fighting measures

Extinguishing media

Suitable extinguishing media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

Unsuitable extinguishing media:

Do not use water jet.

Specific hazards arising from the product:

Thermal decomposition may produce irritating/toxic fumes/gases.

Special protective equipment for firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA).

Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts.

Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers.

Avoid unnecessary run-off of extinguishing media which may cause pollution.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Safety Data Sheet

According to Canadian Hazardous Products Regulations SOR/2022-272, GHS Revision 7 and certain provisions of GHS Revision 8

Initial preparation date: 07.22.2026

Page 4 of 12

Alpha Model Resin V1

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling.

Environmental precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

Methods and material for containment and cleaning up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Reference to other sections:

For personal protective equipment see Section 8. For disposal see Section 13.

SECTION 7: Handling and storage

Precautions for safe handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Do not get in eyes. Avoid contact with skin and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

Conditions for safe storage, including any incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

Occupational Exposure limit values:

No occupational exposure limits noted for the ingredient(s).

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Information on monitoring procedures:

Not determined or not applicable.

Appropriate engineering controls:

Not determined or not applicable.

Individual protection measures, such as personal protective equipment (PPE)

Eye and face protection:

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by

Safety Data Sheet

According to Canadian Hazardous Products Regulations SOR/2022-272, GHS Revision 7 and certain provisions of GHS Revision 8

Initial preparation date: 07.22.2026

Page 5 of 12

Alpha Model Resin V1

recognized national standards (or equivalent).

Use safety glasses with side shields or goggles. Consider the use of a face shield for splash protection.

Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

Skin and body protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

Respiratory protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

General hygienic measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical State:	Liquid
Color:	Grey
Odor:	Characteristic acrylate
pH-value:	Not determined or not available.
Melting/Freezing point:	Not determined or not available.
Boiling point/range:	>100°C
Flash point:	>93.5°C
Flammability (solid, gaseous):	Not flammable
Explosion limit upper:	Not determined or not available.
Explosion limit lower:	Not determined or not available.
Vapor pressure:	Not determined or not available.
Density:	1.08 gm/cm ³
Relative density:	Not determined or not available.
Solubilities:	Not determined or not available.
Partition coefficient (n-octanol/water):	Not determined or not available.
Auto/Self-ignition temperature:	Not determined or not available.
Decomposition temperature:	Not determined or not available.
Kinematic viscosity:	Not determined or not available.
Relative vapor density:	Not determined or not available.
Particle characteristics:	Not determined or not available.

Other information

Safety Data Sheet

According to Canadian Hazardous Products Regulations SOR/2022-272, GHS Revision 7 and certain provisions of GHS Revision 8

Initial preparation date: 07.22.2026

Page 6 of 12

Alpha Model Resin V1

Dynamic Viscosity	650 cP @ 25°C
-------------------	---------------

SECTION 10: Stability and reactivity

Reactivity:

Not reactive under recommended handling and storage conditions.

Chemical stability:

Stable under recommended handling and storage conditions.

Possibility of hazardous reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.
Stable under recommended handling and storage conditions.

Conditions to avoid:

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.
Avoid storage >38°C (100°F) and exposure to light/direct sunlight and heat.

Incompatible materials:

Polymerization initiators, including peroxides, strong oxidizing agents, alcohols, copper, copper alloys, carbon steel, iron, rust, and strong bases.

Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

Acute toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Route	Result
Methacrylate Oligomer(s)	oral	LD50 Rat: >5110 mg/kg
Methacrylate Monomer(s)	oral	LD50 Rat: 5564 mg/kg
	dermal	LD50 Rabbit: >5000 mg/kg
Urethane dimethacrylate	oral	LD50 Rat: >5000 mg/kg
	dermal	LD50 Rat: >2000 mg/kg
Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	oral	LD50 Rat: >2000 mg/kg
	dermal	LD50 Rat: >2000 mg/kg

Skin corrosion/irritation

Assessment:

Causes skin irritation.

Product data:

No data available.

Substance data:

Name	Result
Methacrylate Monomer(s)	Causes skin irritation.

Serious eye damage/irritation

Safety Data Sheet

According to Canadian Hazardous Products Regulations SOR/2022-272, GHS Revision 7 and certain provisions of GHS Revision 8

Initial preparation date: 07.22.2026

Page 7 of 12

Alpha Model Resin V1

Assessment:

Causes serious eye damage.

Product data:

No data available.

Substance data:

Name	Result
Methacrylate Monomer(s)	Causes serious eye irritation.

Respiratory or skin sensitization**Assessment:**

May cause an allergic skin reaction.

Product data:

No data available.

Substance data:

Name	Result
Methacrylate Monomer(s)	May cause an allergic skin reaction.
Urethane dimethacrylate	May cause an allergic skin reaction.
Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	May cause an allergic skin reaction.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

International Agency for Research on Cancer (IARC):

Name	Classification
Methacrylate Monomer(s)	Not Applicable
Urethane dimethacrylate	Not Applicable
Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	Not Applicable

National Toxicology Program (NTP):

Name	Classification
Methacrylate Monomer(s)	Not Applicable
Urethane dimethacrylate	Not Applicable
Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	Not Applicable

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Reproductive toxicity

Safety Data Sheet

According to Canadian Hazardous Products Regulations SOR/2022-272, GHS Revision 7 and certain provisions of GHS Revision 8

Initial preparation date: 07.22.2026

Page 8 of 12

Alpha Model Resin V1

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Specific target organ toxicity (single exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Information on likely routes of exposure:

No data available.

Symptoms related to the physical, chemical and toxicological characteristics:

No data available.

Other information:

No additional information

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
Methacrylate Oligomer(s)	Fish LC50 <i>Poecilia reticulata</i> : ≥ 100 mg/L (96 hr)
Methacrylate Monomer(s)	Fish LC50 <i>Oryzias latipes</i> : >100 mg/L (96 hr)
	Aquatic Invertebrates EC50 <i>Daphnia magna</i> : 380 mg/L (48 hr [mobility])
	Aquatic Plants EC50 Algae: 345 mg/L (72 hr [growth rate])
Urethane dimethacrylate	Fish LC50 <i>Danio rerio</i> : 10.1 mg/L (96 hr)
	Aquatic Invertebrates EC50 <i>Daphnia magna</i> : > 1.2 mg/L (48 hr [mobility])
	Aquatic Plants EC50 <i>Desmodemus subspicatus</i> : > 0.68 mg/L (72 hr [growth rate])

Safety Data Sheet

According to Canadian Hazardous Products Regulations SOR/2022-272, GHS Revision 7 and certain provisions of GHS Revision 8

Initial preparation date: 07.22.2026

Page 9 of 12

Alpha Model Resin V1

Name	Result
Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	Aquatic Plants EC50 <i>Desmodemus subspicatus</i> : >0.26 mg/L (72 hr [growth rate, biomass])
	Fish LC50 <i>Danio rerio</i> : >0.09 mg/L (96 hr)
	Aquatic Invertebrates EC50 <i>Daphnia magna</i> : >1.175 mg/L (48 hr [mobility])

Chronic (long-term) toxicity

Assessment:

Toxic to aquatic life with long lasting effects.

Product data: No data available.

Substance data:

Name	Result
Methacrylate Monomer(s)	Aquatic Invertebrates NOEC <i>Daphnia magna</i> : 24.1 mg/L (21 d [reproduction])
Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	Aquatic Invertebrates NOEC <i>Daphnia magna</i> : ≥ 0.0081 mg/L (21d [reproduction])

Persistence and degradability

Product data: No data available.

Substance data:

Name	Result
Methacrylate Oligomer(s)	The substance is not readily biodegradable.
Methacrylate Monomer(s)	The substance is readily biodegradable. 92 - 100% degradation, measured by Oxygen consumption, after 14 days.
Urethane dimethacrylate	The substance is not readily biodegradable. 22% degradation in water, measured by CO ₂ evolution, after 28 days.
Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	The substance is not readily biodegradable. 1% degradation in water, measured by CO ₂ evolution after 29 days.

Bioaccumulative potential

Product data: No data available.

Substance data:

Name	Result
Methacrylate Oligomer(s)	The substance has the potential to bioaccumulate (BCF=292.4, Calculation method).
Methacrylate Monomer(s)	The substance has low potential to bioaccumulate (log <i>K</i> _{ow} : ≤ 3).
Urethane dimethacrylate	The substance has the potential to bioaccumulate (log <i>P</i> _{ow} : 3.39 at 20 °C).
Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	The substance is not expected to bioaccumulate (BCF: < 5, aquatic species: <i>Cyprinus carpio</i>).

Mobility in soil

Product data: No data available.

Substance data:

Safety Data Sheet

According to Canadian Hazardous Products Regulations SOR/2022-272, GHS Revision 7 and certain provisions of GHS Revision 8

Initial preparation date: 07.22.2026

Page 10 of 12

Alpha Model Resin V1

Name	Result
Methacrylate Monomer(s)	This substance has high water solubility (>100 g/L at 20 °C), a low vapor pressure (0.08 hPa at 20 °C), and low log Kow (0.42 at 25 °C). The substance has a low potential for adsorption to soil or sediments.
Urethane dimethacrylate	The substance is slightly mobile, therefore, adsorption to soil and sediment is expected (log Koc: 3.655 dimensionless at 25 °C, QSAR substance data).
Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	The substance is slightly mobile, therefore, adsorption to soil and sediment is expected (log Koc: 3.85).

Results of PBT and vPvB assessment

Product data:

PBT assessment: This product does not contain any substances that are assessed to be a PBT.

vPvB assessment: This product does not contain any substances that are assessed to be a vPvB.

Substance data:

PBT assessment:

Methacrylate Monomer(s)	The substance is not PBT.
Urethane dimethacrylate	The substance is not PBT.
Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	The substance is not PBT.

vPvB assessment:

Methacrylate Monomer(s)	The substance is not vPvB.
Urethane dimethacrylate	The substance is not vPvB.
Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	The substance is not vPvB.

Other adverse effects: No additional information

SECTION 13: Disposal considerations

Disposal methods:

Do not discharge into public wastewater or surface waters. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities.

Contaminated packages:

Dispose contaminated packages in a safe manner in accordance with local and national regulations. Do not allow the product to be released into the environment.

SECTION 14: Transport information

Canadian Transportation of Dangerous Goods (TDG)

UN number	UN 3082
UN proper shipping name	Environmentally hazardous liquid, N.O.S. Urethane dimethacrylate
UN transport hazard class(es)	9 
Packing group	III

Safety Data Sheet

According to Canadian Hazardous Products Regulations SOR/2022-272, GHS Revision 7 and certain provisions of GHS Revision 8

Initial preparation date: 07.22.2026

Page 11 of 12

Alpha Model Resin V1

Environmental hazards	Marine Pollutant
Special precautions for user	None
Additional Information	This product is not regulated as a dangerous good when transported in sizes of ≤5L or ≤5 kg provided the packaging meets the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.

International Maritime Dangerous Goods (IMDG) Code

UN number	UN 3082
UN proper shipping name	Environmentally hazardous liquid, N.O.S. Urethane dimethacrylate
UN transport hazard class(es)	9  
Packing group	III
Environmental hazards	Marine Pollutant
Special precautions for user	None
Additional Information	This product is not regulated as a dangerous good when transported in sizes of ≤5L or ≤5 kg provided the packaging meets the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	UN 3082
UN proper shipping name	Environmentally hazardous liquid, N.O.S. Urethane dimethacrylate
UN transport hazard class(es)	9  
Packing group	III
Environmental hazards	Marine Pollutant
Special precautions for user	None
Additional Information	This product is not regulated as a dangerous good when transported in sizes of ≤5L or ≤5 kg provided the packaging meets the general provisions of 5.0.2.4.1, 5.0.2.6.1 and 5.0.2.8.

SECTION 15: Regulatory information

Canada regulations

Domestic substances list (DSL):

Trade Secret	Methacrylate Oligomer(s)	Listed
Trade Secret	Methacrylate Monomer(s)	Listed
72869-86-4	Urethane dimethacrylate	Not Listed
162881-26-7	Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	Listed

Non-domestic substances list (NDSL):

Safety Data Sheet

According to Canadian Hazardous Products Regulations SOR/2022-272, GHS Revision 7 and certain provisions of GHS Revision 8

Initial preparation date: 07.22.2026

Page 12 of 12

Alpha Model Resin V1

Trade Secret	Methacrylate Monomer(s)	Not Listed
72869-86-4	Urethane dimethacrylate	Listed
162881-26-7	Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	Not Listed

Additional information: No additional information.

SECTION 16: Other information

Abbreviations and Acronyms: None

Disclaimer:

This product has been classified in accordance with the Canadian Hazardous Products Regulations SOR/2022-272, GHS Revision 7 and certain provisions of GHS Revision 8. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

Initial preparation date: 07.22.2026

Revision Notes:

Revision Date	Notes
2026-07-22	Version 1.0

End of Safety Data Sheet